

# Lighthouse Academy


## BUILD-OUT

12330 JAMES ST  
HOLLAND, MI 49424

### DRAWING INDEX

|               |       |   |
|---------------|-------|---|
| GENERAL       | T001  | TITLE DRAWING                                   |
| ARCHITECTURAL | AD101 | DEMOLITION PLAN                                 |
|               | A101  | FLOOR PLAN                                      |
|               | A111  | REFLECTED CEILING PLAN                          |
|               | A131  | FINISH PLAN                                     |
|               | A501  | INTERIOR ELEVATIONS, DOOR SCHEDULE, AND DETAILS |

### VICINITY MAP



DESIGN/BUILD CONTRACTOR  
PINNACLE CONSTRUCTION GROUP  
1000 FRONT AVE.  
GRAND RAPIDS, MI 49504  
616-451-0500  
WWW.ASKOURCLIENTS.COM

PROJECT TEAM  
ARMANDO MARTINEZ  
MATT DIXON  
PROJECT NUMBER  
24-040

Lighthouse Academy  
BUILD-OUT  
12330 JAMES ST  
HOLLAND, MI 49424

NOT FOR CONSTRUCTION

ISSUANCE  
BIDS  
12/19/2024

REVISIONS  
NO. DATE DESCRIPTION

SHEET NAME  
TITLE DRAWING

SHEET NUMBER

# T001

### ABBREVIATIONS

|         |   |       |   |
|---------|---|-------|---|
| A/C     | AIR CONDITIONING                            | HM    | HOLLOW METAL                                  |
| AV      | AUDIO / VIDEO, AUDIO / VISUAL               | HORZ  | HORIZONTAL                                    |
| ACC     | ACCESSIBLE, ACCESSIBILITY                   | HVAC  | HEATING / VENTILATION / AIR CONDITIONING      |
| ACP     | ACOUSTICAL CEILING PANELS                   | INS   | INSULATE, INSULATION                          |
| ACT     | ACOUSTICAL CEILING TILE                     | INT   | INTERIOR                                      |
| ADA     | AMERICANS WITH DISABILITIES ACT             | IN "  | INCH  |
| AF      | ABOVE FINISHED FLOOR                        | INS   | INSULATE, INSULATION                          |
| ALT     | ALTERNATE                                   | INT   | INTERIOR                                      |
| ALUM    | ALUMINUM                                    | LAV   | LAVATORY                                      |
| ARCH    | ARCHITECT, ARCHITECTURAL                    | LEED  | LEADERSHIP IN ENERGY AND ENVIRONMENTAL DESIGN |
| AUTO    | AUTOMATIC                                   | LVT   | LUXURY VINYL TILE                             |
| BLDG    | BUILDING                                    | LVL   | LAMINATED VENEER LUMER                        |
| BO      | BOTTOM OF                                   |       |   |
| BG      | BEARING                                     |       |   |
| CAB     | CABINET, CABINETRY                          | MATL  | MATERIAL(S)                                   |
| CF/CI   | CONTRACTOR FURNISHED / CONTRACTOR INSTALLED | MAX   | MAXIMUM                                       |
| CF/OI   | CONTRACTOR FURNISHED / OWNER INSTALLED      | MECH  | MECHANICAL                                    |
| CFMF    | COLD FORMED METAL FRAMING                   | MFR   | MANUFACTURER, MANUFACTURED                    |
| CJ      | CONTROL JOINT                               | MIN   | MINIMUM                                       |
| CL      | CENTERLINE                                  | MISC  | MISCELLANEOUS                                 |
| CLG     | CEILING                                     | MTL   | METAL   |
| CLR     | CLEAR, CLEARANCE                            | NEC   | NATIONAL ELECTRIC CODE                        |
| CMU     | CONCRETE MASONRY UNIT                       | NFPA  | NATIONAL FIRE PROTECTION ASSOCIATION          |
| COL     | COLUMN                                      | NIC   | NOT IN CONTRACT                               |
| CONC    | CONCRETE                                    | NOM   | NOMINAL                                       |
| CONT    | CONTINUOUS, CONTINUATION                    | NTS   | NOT TO SCALE                                  |
| COORD   | COORDINATE                                  | OC    | ON CENTER                                     |
| CPT     | CARPET                                      | OF/CI | OWNER FURNISHED, CONTRACTOR INSTALLED         |
| CR      | CARD READER                                 | OF/OI | OWNER FURNISHED, OWNER INSTALLED              |
| CTR     | CENTER                                      | OH    | OVERHEAD                                      |
| D       | DEEP, DEPTH                                 | OH/D  | OVERHEAD DOOR                                 |
| DEFS    | DIRECT-APPLIED EXTERIOR FINISH SYSTEM       | OPP   | OPPOSITE                                      |
| DEG     | DEGREE(S)                                   | ORD   | OVERFLOW ROOF DRAIN                           |
| DEMO    | DEMOLISH, DEMOLITION                        | PERF  | PERFORATE, PERFORATED                         |
| DF      | DRINKING FOUNTAIN                           | PERP  | PERPENDICULAR                                 |
| DIA     | DIAMETER                                    | PLUM  | PLASTIC LAMINATE                              |
| DIAG    | DIAGONAL                                    | PLUM  | PLUMBING                                      |
| DIM     | DIMENSION, DIMENSIONAL                      | PNT   | PAINT, PAINTED                                |
| DIST    | DISTANCE                                    | QTY   | QUANTITY                                      |
| DN      | DOWN  | RD    | ROOF DRAIN, ROAD                              |
| DR      | DOOR  | REF   | REFRIGERATOR                                  |
| DTL     | DETAIL                                      | REQ   | REQUIRED, REQUIREMENT                         |
| DW      | DISHWASHER                                  | REV   | REVISE, REVISION                              |
| DWG     | DRAWING(S)                                  | RO    | ROUGH OPENING                                 |
| EIFS    | EXTERIOR INSULATION AND FINISH SYSTEM       | ROW   | RIGHT OF WAY                                  |
| EJ      | EXPANSION JOINT                             | RTU   | ROOF TOP UNIT                                 |
| ELEC    | ELECTRIC, ELECTRICAL                        | SCHED | SCHEDULE                                      |
| ELEV    | ELEVATOR                                    | SF    | SQUARE FEET, SQUARE FOOT                      |
| EMER    | EMERGENCY                                   | SHR   | SHOWER  |
| ENG     | ENGINEER                                    | SIM   | SIMILAR                                       |
| EQ      | EQUAL                                       | SIP   | STRUCTURAL INSULATED PANEL                    |
| EQUIP   | EQUIPMENT                                   | SPEC  | SPECIFICATION                                 |
| EST     | ESTIMATE(D)                                 | SPKLR | SPRINKLER                                     |
| EX      | EXISTING                                    | STC   | SOUND TRANSMISSION COEFFICIENT                |
| EXT     | EXTERIOR                                    | STR   | STORAGE                                       |
| FD      | FLOOR DRAIN                                 | STR   | STRUCTURAL                                    |
| FDC     | FIRE DEPARTMENT CONNECTION                  | T&G   | TONGUE AND GROOVED                            |
| FON     | FOUNDATION                                  | TEMP  | TEMPORARY                                     |
| FE      | FIRE EXTINGUISHER                           | TO    | TOP OF  |
| FEC     | FIRE EXTINGUISHER CABINET                   | TYP   | TYPICAL                                       |
| FFE     | FINISHED FLOOR ELEVATION                    | UC    | UNDER COUNTER                                 |
| FRT     | FIRE RETARDANT TREATED                      | UL    | UNDERWRITERS LABORATORY                       |
| FT, ' " | FOOT, FEET                                  | UNO   | UNLESS NOTED OTHERWISE                        |
| FTG     | FOOTING                                     | UR    | URINAL  |
| FURN    | FURNITURE                                   | VCT   | VINYL COMPOSITION TILE                        |
| FUT     | FUTURE                                      | VERT  | VERTICAL, VERTICALLY                          |
| GA      | GAUGE, GAGE                                 | VIF   | VERIFY IN FIELD                               |
| GALV    | GALVANIZED                                  | WC    | WATER CLOSET                                  |
| GC      | GENERAL CONTRACTOR, GENERAL CONTRACT        | WD    | WOOD  |
| GWB     | GYPSUM WALL BOARD                           | WDW   | WINDOW  |
| GYP     | GYPSUM                                      |       |   |
| H       | HEIGHT                                      |       |   |
| HDW     | HARDWARE                                    |       |   |

### GENERAL SYMBOLOGY

**DRAWING TITLES**

**PLAN TITLE**  
PLAN NORTH  
**DRAWING TITLE**  
1/8" = 1'-0" DRAWING SCALE

**PLAN CALLOUT / SECTION / ELEVATION TITLE**  
DRAWING NUMBER  
**A5** DRAWING TITLE  
1/8" = 1'-0" DRAWING SCALE  
A101 DRAWING REFERENCE

**REVISION SYMBOLS**  
REVISION NUMBER  
CLOUDED AREA OF REVISION

**LOCATION SYMBOLS**  
**BUILDING SECTION**  
DIRECTION OF SECTION  
DRAWING NUMBER  
SHEET NUMBER  
**WALL SECTION**  
DIRECTION OF SECTION  
DRAWING NUMBER  
SHEET NUMBER  
**DETAIL SECTION**  
DRAWING NUMBER  
SHEET NUMBER

**EXTERIOR ELEVATION**  
DIRECTION OF ELEVATION  
SHEET NUMBER  
DETAIL NUMBER


**INTERIOR ELEVATION**  
DETAIL NUMBER(S)  
SHEET NUMBER  
DIRECTION OF ELEVATION

**CALLOUT REFERENCE**  
DRAWING NUMBER  
SHEET NUMBER  
DRAWING EXTENTS  
REFERENCE (SIM, OPP)


**DATUM SYMBOLS**  
**NEW COLUMN GRID**  
**EXISTING COLUMN GRID**  
**LEVEL**  
**SPOT ELEVATION**

**TAGS**  
**ROOM TAG**  
**DOOR TAG**  
**RESTROOM ACCESSORY TAG**  
**WINDOW TAG**  
**CEILING TAG**


**SYMBOLS**  
BREAKLINE




**1 DOORWAY FEATURES**  
1/4" = 1'-0"




**2 ACCESSIBLE CLEARANCES**  
1/4" = 1'-0"




**3 TOILET ROOM ACCESSORIES**  
1/4" = 1'-0"




**4 TOILET STALL ACCESSORIES**  
1/4" = 1'-0"



**5 WATER CLOSET**  
1/4" = 1'-0"



**6 PLUMBING FIXTURES**  
1/4" = 1'-0"



**7 MISC. DEVICES & ACCESSORIES**  
1/4" = 1'-0"

### PROJECT TEAM

**OWNER**  
INTEGRITY EDUCATIONAL SERVICES  
3300 38TH STREET SE  
GRAND RAPIDS, MI 49512  
616.600.6503  
CONTACT: LESLIE CUMMINGS  
LCUMMINGS@INTEGRITYEDSERVICES.ORG

**ARCHITECT**  
PINNACLE CONSTRUCTION GROUP  
1000 FRONT AVENUE NW  
GRAND RAPIDS, MI 49504  
616.451.0500  
CONTACT: ARMANDO MARTINEZ  
AM@ASKOURCLIENTS.COM

2019/08/28 8:27:34 AM  
C:\pinnacle\clients\2024\24-040\12330 Lighthouse Academy\04-2-D\511711.dwg (1/1) - 05/28/24



DESIGN/BUILD CONTRACTOR  
 PINNACLE CONSTRUCTION GROUP  
 1000 FRONT AVE.  
 GRAND RAPIDS, MI 49504  
 616-451-0500

PROJECT TEAM  
 ARMANDO MARTINEZ  
 MATT DIXON

PROJECT NUMBER  
 24-040

**Lighthouse Academy**  
 BUILD-OUT  
 12330 JAMES ST  
 HOLLAND, MI 49424



ISSUANCE  
 BIDS  
 12/19/2024

REVISIONS  
 NO. DATE DESCRIPTION

© PINNACLE CONSTRUCTION GROUP, 2021


SHEET NAME  
 DEMOLITION PLAN

SHEET NUMBER  
**AD101**

**DEMOLITION NOTES AND LEGEND**

- EXISTING BUILDING CONDITION BASED ON OWNER PROVIDED DRAWINGS AND LIMITED FIELD VERIFICATION. VERIFY EXACT CONDITIONS IN FIELD. SHOULD DISCREPANCIES OCCUR, NOTIFY ARCHITECT FOR CLARIFICATIONS.
- REFER TO ALL DRAWINGS SHOWING NEW CONSTRUCTION AND COORDINATE DEMOLITION REQUIRED TO COMPLETE NEW WORK SHOWN.
- BEGINNING WORK INDICATES THAT THE CONTRACTOR HAS ACCEPTED AND VERIFIED EXISTING CONDITIONS.
- COORDINATE DEMOLITION WITH ALL CONTRACTORS WORKING IN AREAS BEING RENOVATED.
- DURING DEMOLITION, PROTECT ALL ADJACENT CONSTRUCTION TO REMAIN.
- ANY HAZARDOUS MATERIALS THAT ARE ENCOUNTERED ARE TO BE REMOVED BY THE OWNER.
- REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ITEMS TO BE REMOVED NOT SHOWN HERE.
- PROVIDE TEMPORARY SHORING AND/OR STAGING OF THE DEMOLITION WORK.
- COORDINATE DEMOLITION OF ALL WALLS OR PORTIONS OF WALLS FOR NEW OPENINGS WITH STRUCTURAL DOCUMENTS AND EXISTING CONDITIONS. CONTRACTOR IS RESPONSIBLE FOR SHORING ALL STRUCTURE SUPPORTED BY BEARING WALLS PRIOR TO REMOVAL.
- COORDINATE CONSTRUCTION BARRIER LOCATIONS, NOISY DEMOLITION / CONSTRUCTION WITH OWNER.

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE REMOVED




**NOTE**  
 ALL EX CEILING TO REMAIN AND TO BE RECONFIGURED FOR NEW LAYOUT, SEE SHEET A111

**DEMOLITION PLAN**  
 1/4" = 1'-0"

2/19/2024 8:27:35 AM  
 C:\Users\armando\Documents\2024\24-040 Lighthouse Academy\04-101\04-101.dwg





**REFLECTED CEILING PLAN LEGEND**

1. ALL CEILING GRIDS ARE TO BE CENTERED IN ROOM / AREA OR ALIGNED WITH ADJACENT ROOM / AREA AS INDICATED, UNLESS NOTED OTHERWISE.
2. CEILING HEIGHTS INDICATED ARE DIMENSIONED FROM THE FINISHED FLOOR BELOW.
3. ALL LIGHT FIXTURES, SPRINKLER HEADS, RETURN AIR GRILLES AND SUPPLY AIR GRILLES ARE TO BE LOCATED IN THE CENTER OF THE CEILING PAD, UNLESS NOTED OTHERWISE.
4. COORDINATE MECHANICAL, ELECTRICAL AND FIRE PROTECTION TO ASSURE PROPER CLEARANCES AND LAYOUT.
5. MECHANICAL, ELECTRICAL AND FIRE PROTECTION CONTRACTORS TO PROVIDE ACCESS PANELS IN CEILINGS AS REQUIRED FOR MAINTENANCE OF EQUIPMENT. COORDINATE SIZE AND LOCATIONS OF ACCESS PANELS TO MINIMIZE QUANTITIES. CONTRACTOR IS REQUIRED TO PROVIDE LAYOUT TO ARCHITECT FOR REVIEW PRIOR TO INSTALLATION, UNLESS NOTED OTHERWISE.

|  |   |
|--|---|
|  | EXPOSED   |
|  | 2x4 ACOUSTIC CEILING GRID<br>(HEIGHT TO MATCH EX) |
|  | 2x4 ACOUSTIC CEILING GRID<br>"ADJUST GRID AS REQ" |
|  | FIRE EXIT SIGN LOCATION                           |




DESIGN/BUILD CONTRACTOR  
**Pinnacle Construction Group**  
 1000 FRONT AVE.  
 GRAND RAPIDS, MI 49504  
 616-451-0500  
 WWW.ASKOURCLIENTS.COM

PROJECT TEAM  
 ARMANDO MARTINEZ  
 MATT DIXON

PROJECT NUMBER  
 24-040

**Lighthouse Academy**  
 BUILD-OUT  
 12330 JAMES ST  
 HOLLAND, MI 49424



ISSUANCE  
 BIDS  
 12/19/2024

| NO. | DATE | DESCRIPTION |
|-----|------|-------------|
|     |      |             |

© PINNACLE CONSTRUCTION GROUP, 2021

SHEET NAME  
**REFLECTED CEILING PLAN**

SHEET NUMBER  
**A111**

**REFLECTED CEILING PLAN**  
 1/4" = 1'-0"

2/1/2024 8:27:37 AM  
 C:\Users\matt.dixon\OneDrive\Documents\2024\24-040 Lighthouse Academy\04-21-24\REFLECTED CEILING PLAN.dwg




DESIGN/BUILD CONTRACTOR  
 PINNACLE CONSTRUCTION GROUP  
 1000 FRONT AVE.  
 GRAND RAPIDS, MI 49504  
 616-451-0500  
 WWW.ASKOURCLIENTS.COM

PROJECT TEAM  
 ARMANDO MARTINEZ  
 MATT DIXON

PROJECT NUMBER  
 24-040

**Lighthouse Academy**  
 BUILD-OUT  
 12330 JAMES ST  
 HOLLAND, MI 49424



ISSUANCE  
 BIDS  
 12/19/2024

REVISIONS  
 NO. DATE DESCRIPTION

© PINNACLE CONSTRUCTION GROUP, 2021

SHEET NAME  
 FINISH PLAN





SHEET NUMBER


**A131**

**FINISH GENERAL NOTES**

1. GENERAL
  - A. REPAIR ALL EXISTING MATERIALS SCHEDULED TO REMAIN, USING OWNER'S ATTIC STOCK. IF NO ATTIC STOCK EXISTS, USE NEW MATERIAL TO MATCH EXISTING.
2. FLOORING:
  - A. INSTALL FLOORING MATERIAL IN DIRECTION INDICATED ON FINISH PLAN, UNLESS NOTED OTHERWISE.
  - B. PROVIDE A CEMENTITIOUS COMPOUND BETWEEN FLOOR MATERIALS OF DIFFERENT THICKNESS. FEATHER FLOOR FOR SMOOTH TRANSITION.
  - C. USE ALUMINUM TILE TRANSITION STRIPS BETWEEN RUBBER FLOORING / CARPET, RUBBER FLOORING / TILE, RUBBER FLOORING / CARPET.
3. BASE:
  - A. TYPICAL BASE PROFILE AT CARPET SHALL BE STRAIGHT.
  - B. TYPICAL BASE PROFILE AT RESILIENT FLOORING SHALL BE COVE.
  - C. WHERE SHEET MATERIALS ARE USED, STANDARD BASE DETAIL SHALL BE FLASH COVE.
4. WALLS:
  - A. ALL NEW AND EXISTING WALLS TO BE PAINTED, COLOR TBD.
  - B. PAINT FIRE EXTINGUISHER CABINETS TO MATCH ADJACENT WALL COLOR, UNLESS STAINLESS STEEL OR BRUSHED ALUMINUM FINISH.
  - C. REPAINT ENTIRE WALL SECTION WHERE DEMOLITION OCCURS TO PROVIDE THE BEST FINISH LOOK, COLOR TO MATCH ADJACENT WALL.
5. EXPOSED COLUMNS:
  - A. PAINT ALL EXPOSED COLUMNS. COLOR TBD.
6. BULKHEADS:
  - A. PAINT BULKHEAD UNDERSIDES. COLOR TBD.
  - B. PAINT BULKHEAD FACE TO MATCH ADJACENT WALL COLOR.
7. DOORS AND FRAMES:
  - A. PAINT ALL EXISTING NEW DOORS AND FRAMES. COLOR TBD.
  - B. FRAME COLOR TRANSITION TO TAKE PLACE AT INSIDE CORNER OF STOP ON DOOR SIDE.
9. WINDOW SILLS:
  - A. TYPICAL WINDOW SILL TO BE REPAINTED AS REQUIRED.
10. DIFFUSERS AND COVERS:
  - A. PAINT WALL DIFFUSER AND AIR GRILLE COVERS TO MATCH ADJACENT WALL.

**FINISH PLAN LEGEND**

- NOTE:**  
 FINISH SPECS TO BE DETERMINED
-  RUBBER FLOORING
  -  CARPET TILE
  -  LVT
  -  EX CONC TO REMAIN




**FINISH PLAN**  
 1/4" = 1'-0"

**CASEWORK LEGEND AND NOTES**

1. ALL SHELVES ARE ADJUSTABLE, UNLESS NOTED OTHERWISE.
2. PROVIDE EQUAL SIZED FILLER PANELS AT CABINET ELEVATIONS. MINIMUM 1" AND MAXIMUM 6" UNLESS NOTED OTHERWISE.
3. PROVIDE FINISH BASE AT ALL BASE CABINETS TO MATCH ADJACENT WALL BASE, UNLESS NOTED OTHERWISE.
4. PROVIDE SEALANT AT BOTTOM, TOP AND ENDS OF BACKSPASHES AND SIDESPLASHES.
5. PROVIDE 2" LIGHT VALANCE AT ALL WALL CABINETS WITH UNDERCABINET LIGHTING.
6. EXPOSED OUTSIDE CORNERS OF COUNTERTOPS SHALL BE EASED. REFER TO DRAWINGS FOR ADDITIONAL RADIUS REQUIREMENTS.

**NOTATION EXAMPLE**



- CABINET TYPES**
- B BASE CABINET
  - W WALL CABINET OR SHELVES
  - SB SINK BASE CABINET
  - T TALL STORAGE CABINET



DESIGN/BUILD CONTRACTOR  
 PINNACLE CONSTRUCTION GROUP  
 1000 FRONT AVE.  
 GRAND RAPIDS, MI 49504  
 616-451-0500

WWW.ASKOURCLIENTS.COM

PROJECT TEAM  
 ARMANDO MARTINEZ  
 MATT DIXON

PROJECT NUMBER  
 24-040

**Lighthouse Academy**  
 BUILD-OUT  
 12330 JAMES ST  
 HOLLAND, MI 49424

LICENSING STAMP



ISSUANCE  
 BIDS  
 12/19/2024

REVISIONS  
 NO. DATE DESCRIPTION


© PINNACLE CONSTRUCTION GROUP, 2021

SHEET NAME


INTERIOR ELEVATIONS, DOOR SCHEDULE, AND DETAILS  
 SHEET NUMBER

**A501**


**NOTE:**  
 RESTROOM ELEVATIONS ARE TYPICAL FOR ALL RESTROOMS




**1 RR 112 EAST ELEV**  
 1/4" = 1'-0"  
 A101




**2 RR 112 NORTH ELEV**  
 1/4" = 1'-0"  
 A101




**3 RR 112 WEST ELEV**  
 1/4" = 1'-0"  
 A101




**4 RR 112 SOUTH ELEV**  
 1/4" = 1'-0"  
 A101



**5 KITCHEN 106 EAST ELEV**  
 1/4" = 1'-0"  
 A101



**6 KITCHEN 106 NORTH ELEV**  
 1/4" = 1'-0"  
 A101



**7 WALL AND SINK BASE CABINET DETAIL**  
 3/4" = 1'-0"

**HARDWARE SETS**


- SET #1 (Typ. Double Wood Entry Door)**  
 2 EA DEADBOLT LATCH  
 2 EA PUSH/PULL SET  
 2 EA WIRELESS LOCK SYSTEM
- SET #2 (Typ. Passage Door)**  
 1 EA PASSAGE LOCKSET
- SET #3 (Typ. Restroom Door)**  
 1 EA PRIVACY LOCKSET  
 1 EA KICKPLATE  
 1 EA CLOSER  
 1 EA OCCUPANCY INDICATOR
- SET #4 (Typ. Office Door)**  
 1 EA OFFICE LOCKSET
- SET #5 (Typ. Utility Door)**  
 1 EA STOREROOM LOCKSET  
 1 EA CLOSER  
 1 EA KICKDOWN  
 1 EA KICKPLATE

**GENERAL NOTES**  
 ALL DOORS TO RECEIVE: WALL OR FLOOR STOP (AS REQUIRED)  
 ALL HOLLOW METAL FRAMES TO RECEIVE: SILENCER  
 ALL HOLLOW METAL AND WOOD DOORS TO RECEIVE: 3 HINGES (UNO)

**DOOR SCHEDULE**

| MARK        | ROOM NAME   | DOOR  |        |      |          |        | FRAME |          |        | HDW | NOTES |
|-------------|-------------|-------|--------|------|----------|--------|-------|----------|--------|-----|-------|
|             |             | WIDTH | HEIGHT | TYPE | MATERIAL | FINISH | TYPE  | MATERIAL | FINISH |     |       |
| FIRST FLOOR |             |       |        |      |          |        |       |          |        |     |       |
| 101         | VEST        | 6'-0" | 7'-0"  | HG   | WD       | PAINT  | S     | HM       | PAINT  | 1   |       |
| 102         | RECEPTION   | 6'-0" | 7'-0"  | HG   | WD       | PAINT  | S     | HM       | PAINT  | 2   |       |
| 103         | IT/ STORAGE | 3'-0" | 7'-0"  | F    | WD       | PAINT  | S     | HM       | PAINT  | 5   |       |
| 104         | OFFICE      | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 4   |       |
| 105         | OFFICE      | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 4   |       |
| 106         | KITCHEN     | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 1   |       |
| 107         | EX RISER RM | 3'-0" | 7'-0"  | F    | HM       | PAINT  | S     | HM       | PAINT  | 5   |       |
| 108         | EX RR       | 3'-0" | 7'-0"  | F    | HM       | PAINT  | S     | HM       | PAINT  | 3   |       |
| 110         | CLASSROOM   | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 2   |       |
| 112         | RR          | 3'-0" | 7'-0"  | F    | HM       | PAINT  | S     | HM       | PAINT  | 3   |       |
| 113         | STORAGE     | 3'-0" | 7'-0"  | F    | HM       | PAINT  | S     | HM       | PAINT  | 5   |       |
| 115         | CLASSROOM   | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 2   |       |
| 116         | CLASSROOM   | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 2   |       |
| 117         | CLASSROOM   | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 2   |       |
| 118         | CLASSROOM   | 3'-0" | 7'-0"  | FG   | WD       | PAINT  | SL    | HM       | PAINT  | 2   |       |
| 119         | STORAGE     | 5'-0" | 7'-0"  | F    | HM       | PAINT  | S     | HM       | PAINT  | 2   |       |

**DOOR TYPES**



**FRAME TYPES**

